

ermes.premium 1246



Model Code F5697

date of issue 12-03-24 revision 00
revision of 10-04-24 (the present replaces any previous versions)

Designer: centro studi interno.

Structure: pinewood, beech-wood and multilayer covered with polyurethane foam

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester layer.

Back Padding: back cushions in ecological polyurethane foam covered with 100% polyester layer

Arm Interior: armrests in ecological polyurethane foam covered with 100% polyester layer.

Removability: not available

Sewing: covers are feasible with tone-on-tone stitching or, upon request, with contrast stitching in the colors available. Cuts and sewing on leather covers differ from cuts and sewing on fabric covers.

Mechanisms: the model is equipped with manual flip-up headrests on the backs. With lifted backrests, the seat depth increases by 17 cm and the total height reaches 115 cm. The model is also equipped with adjustable armrests. With armrests completely stretched outwards the length of the sofa increases by 12 cm per armrest side. Recliner versions feature electric recliner mechanisms operated by a button panel (PUL M6) positioned on seat cushion sides and manual flip-up backrests. With open recliner and backrest with flip-up headrest the total depth of the model reaches 188 cm. The model cannot be placed next to a wall. With lifted backrests the model needs to be placed at minimum 15 cm from the wall. Recliner versions with open recliners and lifted backrests need to be placed at minimum 50 cm from the wall.

Standard feet: PM2305 h.19 cm front feet and PM2188 h.15 cm rear feet, in metal with standard finish ANTIQUE BRONZE. Alternatively, it is possible to choose among the standard finishes available on the sample book. The sample book also includes "special" finishes, available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.

We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.

Density of seat and back kg/cbm (±5%) ⁽¹⁾

| Markets | Seat | Back |
|------------------|-------------------|-------------------|
| I | 35 Medium | 24 |
| D - NL - CH | 35 sostenuto hard | 28 hard |
| USA - California | 35 soft | 24 soft |
| GB | 37 fire retardant | 30 fire retardant |
| Others | 35 Medium | 24 |

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

| | suggested | not suggested | not possible |
|-----------------------|-----------|---------------|--------------|
| thick leathers | ✓ | | |
| thin elastic leathers | ✓ | | |
| natural leathers | ✓ | | |
| fabric* | ✓ | | |
| microfibre* | ✓ | | |
| leather + split | | | ✓ |
| DeLuxe* | | | ✓ |
| multi colour** | | | ✓ |
| multi-category** | | | ✓ |
| multi covering** | | | ✓ |

Please note: for not removable models, only one colour fabric covers are available.

* Deluxe, Fabrics and microfibers are not available for the U.K. - USA/CA - IE market.



PUL M6

Feet



PM2305



PM2188

Ottoman



↑ fold following the dotted line ↑

ermes.premium 1246

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
 Dimensions refer to maximum sizes of the version with closed mechanism (where available).

| dimensions | L 170 H84 D97 SH47 SD54 | L 190 H84 D97 SH47 SD54 | L 210 H84 D97 SH47 SD54 | L 85 H84 D97 SH47 SD54 | L 85 H84 D97 SH47 SD54 |
|-----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| version code | 200 | 240 | 300 | B 68 | B 69 |
| Description | 2 seater | 2 1/2 seater | 3 seater | mini chair raf | mini chair laf |
| | | | | | |
| L 85 H84 D97 SH47 SD54 | L 85 H84 D97 SH47 SD54 | L 95 H84 D97 SH47 SD54 | L 95 H84 D97 SH47 SD54 | L 95 H84 D97 SH47 SD54 | L 95 H84 D97 SH47 SD54 |
| C 36 | C 37 | 110 | 120 | 173 | 174 |
| rf el.rec.mini chair | lhf el.rec.mini chair | 1 right arm facing chair | 1 left arm facing chair | elec.rec.chair 1arm raf | elec.rec.chair 1arm laf |
| | | | | | |
| L 105 H84 D97 SH47 SD54 | L 105 H84 D97 SH47 SD54 | L 105 H84 D97 SH47 SD54 | L 105 H84 D97 SH47 SD54 | L 148 H84 D97 SH47 SD54 | L 148 H84 D97 SH47 SD54 |
| 114 | 124 | 612 | 613 | 210 | 220 |
| rhf maxi chair | lhf maxi chair | 1raf maxi chair rec.el | 1laf maxi chair rec.el | 1right arm facing 2 str | 1left arm facing 2 str |
| | | | | | |
| L 148 H84 D97 SH47 SD54 | L 148 H84 D97 SH47 SD54 | L 168 H84 D97 SH47 SD54 | L 168 H84 D97 SH47 SD54 | L 168 H84 D97 SH47 SD54 | L 168 H84 D97 SH47 SD54 |
| 395 | 396 | 251 | 252 | G 06 | G 07 |
| 1rgt arm fac.2str elec.rec. | 1lft arm fac.2str elec.rec. | 1 right arm fac.2 1/2 str | 1 left arm fac. 2 1/2 str | rhf 2 1/2 seater el.rec. | lhf 2 1/2 seater el.rec. |

↓ fold following the dotted line ↓

